

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:33:34 ON 02 JUN 2008

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 13:33:42 ON 02 JUN 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUN 2008 HIGHEST RN 1024587-16-3

DICTIONARY FILE UPDATES: 1 JUN 2008 HIGHEST RN 1024587-16-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10 series\10556988\broaderelected.str



chain nodes :

7 8 9 15 16 17 18 20 21

ring nodes :

1 2 3 4 5 6 10 11 12 13 14

chain bonds :

2-7 7-8 8-9 8-10 14-15 15-16 15-17 18-20 20-21

ring bonds :

10556988 - Compound Search

1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-14 11-12 12-13 13-14

exact/norm bonds :

8-9 8-10 10-11 10-14 15-16 15-17 18-20 20-21

exact bonds :

2-7 7-8 11-12 12-13 13-14 14-15

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 : 10 :

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:Atom
20:CLASS 21:Atom

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 ful

FULL SEARCH INITIATED 13:33:54 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 9967 TO ITERATE

100.0% PROCESSED 9967 ITERATIONS

25 ANSWERS

SEARCH TIME: 00.00.01

L2 25 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

178.57

FILE 'CAPLUS' ENTERED AT 13:33:58 ON 02 JUN 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

2 JUL 2008

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jun 2008 VOL 148 ISS 23
FILE LAST UPDATED: 1 Jun 2008 (20080601/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s 12


L3 3 L2

=> d ibib hitstr 1-3


10556988 - Compound Search

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2006:1262981 CAPLUS
 DOCUMENT NUMBER: 147:156852
 TITLE: Effect of tertiary alcohol additives on enantioselectivity of the chiral-AGP column
 AUTHOR(S): Loeser, Eric; Yowell, Guy; Drumm, Patrick
 CORPORATE SOURCE: Chemical and Analytical Development, Novartis Pharmaceuticals, East Hanover, NJ, USA
 SOURCE: Journal of Liquid Chromatography & Related Technologies (2006), 29(18), 2625-2640
 CODEN: JLCTFC; ISSN: 1082-6076
 PUBLISHER: Taylor & Francis, Inc.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 IT 799854-61-8 943333-63-9 943333-66-2
 RL: ANT (Analyte); ANST (Analytical study)
 (analyte; effect of tertiary alc. additives on enantioselectivity of Chiral-AGP column)
 RN 799854-61-8 CAPLUS
 CN D-Proline, 1-[2-methyl-2-[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 943333-63-9 CAPLUS
 CN Proline, 1-[2-methyl-2-[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)



RN 943333-66-2 CAPLUS
 CN L-Proline, 1-[2-methyl-2-[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



REFERENCE COUNT: 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2004:1037096 CAPLUS
 DOCUMENT NUMBER: 142:23512
 TITLE: Preparation of N-acyl proline derivatives and related nitrogen heterocycles as ligands of peroxisome proliferator-activated receptors
 INVENTOR(S): Ksander, Gary Michael; Vedananda, Thalaththani Ralalage
 PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.
 SOURCE: PCT Int. Appl., 75 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004103995	A1	20041202	WO 2004-EP5434	20040519
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LR, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NG, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TH, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004240754	A1	20041202	AU 2004-240754	20040519
CA 2525764	A1	20041202	CA 2004-2525764	20040519
EP 1638963	A1	20060329	EP 2004-739269	20040519
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR				
BR 2004010779	A	20060627	BR 2004-10779	20040519
CN 1795193	A	20060628	CN 2004-80014021	20040519
JP 2007501263	T	20070125	JP 2006-529884	20040519
US 20060135593	A1	20060622	US 2005-556988	20051115
MX 2005PA12465	A	20060130	MX 2005-PA12465	20051118
IN 2005CN03050	A	20070727	IN 2005-CN3050	20051118
WO 2005006056	A	20060217	WO 2005-6056	20051220
KR 2008007519	A	20080121	KR 2008-700342	20080107
PRIORITY APPLN. INFO.:				
			US 2003-472067P	P 20030520
			WO 2004-EP5434	W 20040519
			KR 2005-722001	A3 20051118

OTHER SOURCE(S): MARPAT 142:23512
 IT 799854-58-3P 799854-61-8P 799854-62-9P
 799854-63-0P 799854-64-1P 799854-65-2P
 799854-66-3P 799854-68-5P 799854-69-6P
 799854-70-9P 799854-72-1P 799854-73-2P
 799854-78-7P 799854-79-8P 799854-80-1P
 799854-81-2P 799854-82-3P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of N-acyl proline derivs. and related nitrogen heterocycles as ligands of peroxisome proliferator-activated receptors)
 RN 799854-58-3 CAPLUS
 CN D-Proline, 1-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


2 JUL 2008

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)




RN 799854-61-8 CAPLUS
 CN D-Proline, 1-[2-methyl-2-[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-62-9 CAPLUS
 CN D-Proline, 1-[2-methyl-2-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 799854-63-0 CAPLUS
 CN D-Proline, 1-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10556988 - Compound Search

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)


RN 799854-64-1 CAPLUS
CN D-Proline, 1-[2-[3-[[2-[4-(aminocarbonyl)phenyl]-5-methyl-4-oxazolyl]methoxy]phenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-65-2 CAPLUS
CN D-Proline, 1-[2-[3-[[2-(4-cyanophenyl)-5-methyl-4-oxazolyl]methoxy]phenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 799854-66-3 CAPLUS
CN D-Proline, 1-[2-[3-[[2-(4-chloro-3-fluorophenyl)-5-methyl-4-oxazolyl]methoxy]phenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-68-5 CAPLUS
CN D-Proline, 1-[2-[3-[[2-(4-fluorophenyl)-5-methyl-4-oxazolyl]methoxy]-4-methoxyphenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)


RN 799854-73-2 CAPLUS
CN D-Proline, 1-[2-[3-[[2-(4-fluorophenyl)-5-methyl-4-oxazolyl]methoxy]phenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-78-7 CAPLUS
CN D-Proline, 1-[3-[[4-ethyl-4,5-dihydro-5-oxo-1-(phenylmethyl)-1H-1,2,4-triazol-3-yl]methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 799854-79-8 CAPLUS
CN D-Proline, 1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-80-1 CAPLUS
CN D-Proline, 1-[3-[[5-methyl-2-(4-(trifluoromethyl)phenyl)-4-oxazolyl]methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

2 JUL 2008

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)


RN 799854-69-6 CAPLUS
CN D-Proline, 1-[2-[3-[[2-(4-chlorophenyl)-5-methyl-4-oxazolyl]methoxy]phenyl]-2-methyl-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 799854-70-9 CAPLUS
CN D-Proline, 1-[2-methyl-2-[3-[[5-methyl-2-(4-methylphenyl)-4-oxazolyl]methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 799854-72-1 CAPLUS
CN D-Proline, 1-[2-methyl-2-[3-[[5-methyl-2-(4-(trifluoromethyl)phenyl)-4-oxazolyl]methoxy]phenyl]-1-oxopropyl]- (CA INDEX NAME)

Absolute stereochemistry.


L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

Absolute stereochemistry.



RN 799854-81-2 CAPLUS
CN L-Proline, 1-[3-[[5-methyl-2-phenyl-4-oxazolyl]methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 799854-82-3 CAPLUS
CN Proline, 1-[4-[[5-methyl-2-phenyl-4-oxazolyl]methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

IT 799854-94-7P 799855-03-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of N-acyl proline derivs. and related nitrogen heterocycles as ligands of peroxisome proliferator-activated receptors)


RN 799854-94-7 CAPLUS
CN D-Proline, 1-[3-[[5-methyl-2-phenyl-4-oxazolyl]methoxy]phenyl]acetyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10556988 - Compound Search

L3 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 799855-03-1 CAPLUS
CN D-Proline, 1-[2-methyl-2-[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]-1-oxopropyl]-, ethyl ester (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2000:725603 CAPLUS
DOCUMENT NUMBER: 133:296654
TITLE: Preparation of N-acyl- α -aminohydroxamic acids as matrix metalloproteinase, TNF- α , and aggrecanase inhibitors
INVENTOR(S): Duan, Jingwu
PATENT ASSIGNEE(S): Du Pont Pharmaceuticals Company, USA
SOURCE: PCT Int. Appl., 131 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000059874	A1	20001012	WO 2000-US8362	20000330
W: AU, BR, CA, CN, CZ, EE, HU, IL, IN, JP, KR, LT, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, VN, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2366264	A1	20001012	CA 2000-2366264	20000330
EP 1165500	A1	20020102	EP 2000-921500	20000330
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2002541138	T	20021203	JP 2000-609387	20000330
US 6376665	B1	20020423	US 2000-540057	20000331
US 20030032803	A1	20030213	US 2002-74357	20020212
US 6689771	B2	20040210		
PRIORITY APPLN. INFO.:			US 1999-127635P	P 19990402
			WO 2000-US8362	W 20000330
			US 2000-540057	A3 20000331

OTHER SOURCE(S): MARPAT 133:296654
IT 301162-84-5P 301162-85-6P 301162-86-7P
301163-20-2P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of N-acyl- α -aminohydroxamic acids as matrix metalloproteinase, TNF- α , and aggrecanase inhibitors)
RN 301162-84-5 CAPLUS
CN L-Proline, 1-[[4-[(2-methyl-4-quinolinyl)methoxy]phenyl]acetyl]-, methyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 301162-85-6 CAPLUS
CN D-Proline, 1-[[4-[(2-methyl-4-quinolinyl)methoxy]phenyl]acetyl]-, methyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 301162-86-7 CAPLUS
CN D-Proline, 1-[[4-[(2-methyl-4-quinolinyl)methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)



RN 301163-20-2 CAPLUS
CN L-Proline, 1-[[4-[(2-methyl-4-quinolinyl)methoxy]phenyl]acetyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT